

Required Forms for Energy Compliance

Occupancy Classification	C1 (Section A and B)	C1 (Section C)	D1	D2	D3	D4	D6	D8
Assembly Occupancy Group A, Division 2 and Division 3 (Rink, church, auditorium, courtroom, etc.)			x	x	x	x	x	x
Detention/Treatment/Care Occupancy Group B, Division 1/2/3 (Jails, prisons, hospitals, group homes, etc.)			x	x	x	x	x	x
Residential Occupancy Group C (Dwelling, duplex, 4-plex, multi family, apartment, etc.)								
< 600 m ² building area	x	x						
Dwelling (with or without secondary suite)	x	x						
Dwelling Addition	x	x						
Attached Heated Garage	x	x						
Unheated Attached Garage	No Energy Requirements							
Detached Heated Garage	x	x						
Detached Unheated Garage	No Energy Requirements							
Basement Development	x	x						
Dwelling Renovation	x	x						
Alternative Family Care Home Within the application of Part 9	x							
Alternative Family Care Home Within the application of Part 3			x	x	x	x	x	x
> 600 m ² building area			x	x	x	x	x	x
Business and Personal Services Occupancy Group D (Offices, etc.)								
< 600 m ² building area AND < 300 m ² floor area	x		x	x	x	x	x	x
< 600 m ² building area AND > 300 m ² floor area			x	x	x	x	x	x
> 600 m ² building area			x	x	x	x	x	x

Mercantile Occupancy Group E (Sales, shops, stores, etc.)									
< 600 m ² building area AND < 300 m ² floor area	x		x	x	x	x	x	x	x
< 600 m ² building area AND > 300 m ² floor area			x	x	x	x	x	x	x
> 600 m ² building area			x	x	x	x	x	x	x
High-Hazard Industrial Occupancy Group F, Division 1 (Grain elevators, flour mills, manufacturing plants, etc.)			x	x	x	x	x	x	x
Medium-Hazard Industrial Occupancy Group F, Division 2 (Laboratories, repair garages, etc.)			x	x	x	x	x	x	x
Low-Hazard Industrial Occupancy Group F, Division 3 (Storage garages, warehouses, etc.)									
< 600 m ² building area AND < 300 m ² floor area	x		x	x	x	x	x	x	x
< 600 m ² building area AND > 300 m ² floor area			x	x	x	x	x	x	x
> 600 m ² building area			x	x	x	x	x	x	x

*renovations and alterations are applicable in municipalities that require compliance

Note: it is the designers responsibility to determine the compliance path for when multiple options are available.

Note: All projects are permitted to comply with the NECB. It is the designers responsibility to determine the compliance path.

C1 - NBC Section 9.36. Energy Efficiency Compliance Form

D1 - NECB Compliance Information

D2 - NECB Project Summary

D3 - NECB Drawings Requirements

D4 - NECB Prescriptive Report

D6 - NECB Performance

D8 - Commitment Letter for Field Review